
NEW SHINE
www.newshinelighting.com

AURORA SERIES



Basic information / Advantage / Contact



www.newshinelighting.com

AURORA SERIES



Special Features:

1. 360 degree even illumination, available in a variety of shapes and different mountings;

2. LL0176 and LL0177 can do different length with seamless joint;

3. Flexible hardness: Enough hard to hold the shape well or soft to meet your design.



NEW SHINE

AURORA SERIES

Model No.	Picture	Installation	Material	Size (mm)	Size (inch)
LL0180S		No aircraft cables	Silicon	D23*L1000	D0.9*L39.4
LL0175S-PRO-25W		Suspended with 1.5m power cable	Acrylic + silicone	D400*30	D15.7*1.3
LL0175S-PRO-40W				D600*30	D23.6*1.3
LL0175S-PRO-50W				D800*30	D31.5*1.3
LL0175S-PRO-60W				D1000*30	D39.4*1.3
LL0175S-PRO-80W				D1200*30	D47.2*1.3
LL0179S--25W		Suspended with 1.5m power cable	Acrylic + silicone	400*400*30	15.7*15.7*1.3
LL0179S--40W				600*600*30	23.6*23.6*1.3
LL0179S-50W				800*800*30	31.5*31.5*1.3
LL0179S-60W				1000*1000*30	39.4*39.4*1.3
LL0179S-80W				1200*1200*30	47.2*47.2*1.3







NEW SHINE

AURORA SERIES

Model No.	Picture	Installation	Material	Size (mm)	Size (inch)
LL0178-WM-300		Wall Mounted	Acrylic + silicone	300*50	11.8*2.0
LL0178-WM-600				600*50	23.6*2.0
LL0178-WM-900				900*50	35.4*2.0
LL0178-WM-1200				1200*50	47.2*2.0
LL0178-WM-1500				1500*50	59.1*2.0
LL0178-VS-D30-300		suspended with 1.5m power cable and safety cable	Acrylic + silicone	300*30	11.8*1.2
LL0178-VS-D30-600				600*30	23.6*1.2
LL0178-VS-D30-900				900*30	35.4*1.2
LL0178-VS-D30-1200				1200*30	47.2*1.2
LL0178-VS-D30-1500				1500*30	59.1*1.2
LL0178-VS-D50-300		suspended with 1.5m power cable and safety cable	Acrylic + silicone	300*50	11.8*2.0
LL0178-VS-D50-600				600*50	23.6*2.0
LL0178-VS-D50-900				900*50	35.4*2.0
LL0178-VS-D50-1200				1200*50	47.2*2.0
LL0178-VS-D50-1500				1500*50	59.1*2.0
LL0178-VS-D80-300		suspended with 1.5m power cable and safety cable	Acrylic + silicone	300*80	11.8*3.2
LL0178-VS-D80-600				600*80	23.6*3.2
LL0178-VS-D80-900				900*80	35.4*3.2
LL0178-VS-D80-1200				1200*80	47.2*3.2
LL0178-VS-D80-1500				1500*80	59.1*3.2

Model No.	Picture	Installation	Material	Size (mm)	Size (inch)
LL0178-HS-D30-300		suspended with 1.5m power cable and safety cable	Acrylic + silicone	300*30	11.8*1.2
LL0178-HS-D30-600				600*30	23.6*1.2
LL0178-HS-D30-900				900*30	35.4*1.2
LL0178-HS-D30-1200				1200*30	47.2*1.2
LL0178-HS-D30-1500				1500*30	59.1*1.2
LL0178-HS-D50-300		suspended with 1.5m power cable and safety cable	Acrylic + silicone	300*50	11.8*2.0
LL0178-HS-D50-600				600*50	23.6*2.0
LL0178-HS-D50-900				900*50	35.4*2.0
LL0178-HS-D50-1200				1200*50	47.2*2.0
LL0178-HS-D50-1500				1500*50	59.1*2.0
LL0178-HS-D80-300		suspended with 1.5m power cable and safety cable	Acrylic + silicone	300*80	11.8*3.2
LL0178-HS-D80-600				600*80	23.6*3.2
LL0178-HS-D80-900				900*80	35.4*3.2
LL0178-HS-D80-1200				1200*80	47.2*3.2
LL0178-HS-D80-1500				1500*80	59.1*3.2


NEW SHINE
www.newshinelighting.com


NEW SHINE






www.newshinelighting.com







Application

Widely used in office, hotel, shopping mall, school, hospital, commercial interiors and other morden buildings.

New Shine Lighting (Guangzhou) Co., Ltd
T: 86-20-22863929
E: info@newshinelighting.com
A: Part 2, 2/F, Plant 1,195 Junyi Road, Junan town, Shunde district, Foshan, Guangdong, China 528329
W: www.newshinelighting.com